Sense and Nonsense in the Treatment of ASD: Protecting your child, and your pocketbook

James Coplan, MD
Neurodevelopmental Pediatrics of the Main Line, PC
Rosemont, PA
610-520-2130
http://www.DrCoplan.com
info@drcoplan.com

ASA-Manhattan Chapter June 7, 2012

Disclosures

 Dr. Coplan is author of Making Sense of Autistic Spectrum Disorders: Create the brightest future for your child with the best treatment options (Bantam-Dell, 2010), and receives royalties on its sale



· This presentation will include a discussion of off-label drug use

www.drcoplan.com

Outline

- Definition of Quackery
- The Natural History of ASD
- Debunking the autism epidemic
- A brief history of Quackery
- The Placebo Effect
- Let the buyer beware



Quackery



Quackery - 1

"The promotion, for profit, of a medical remedy known to be false or unproven" (FDA)



http://www.quackwatch.org/01QuackeryRelatedTopics/quackdef.html

Quackery - 2

- Most quacks sincerely believe in what they are promoting
- Most quack remedies are unproven (rather than "known to be false")
- Therefore....Quackery's paramount characteristic is <u>promotion</u>, rather than fraud, greed, or misinformation

http://www.quackwatch.org/01QuackeryRelatedTopics/quackdef.htm

Promotional Techniques

- · Create a demand
- Deliver the pitch
- Close the sale
- Modern advertising originated with 19th Century "patent medicines"
 - Safe & Effective!
 - · Satisfaction guaranteed!

 $Creating \ Demand \ for \ Prescription \ Drugs: A \ Content \ Analysis \ of \ Television \ Direct-to-Consumer \ Advertising \ http://www.annfammed.org/content/5/1/6.full$

Creating a demand

(An autism epidemic: What a wonderful thing it would be)

- If there were an epidemic
 - There would be a specific cause
 - There would be somebody to blame
 - There would be preventive or curative measures

Outline

- Definition of Quackery
- The Natural History of ASD
- Debunking the autism explosion
- A brief history of Quackery
- The Placebo Effect
- Let the buyer beware

Natural History: "The temporal course a disease from onset to resolution"

ASD has a Natural History

www.drcoplan.com



Quarterly Journal of Psychopathology, Psychotherapy, Mental Hygiene, and Guidance of the Child

AUTISTIC DISTURBANCES OF AFFECTIVE CONTACT By LEO KANNER

Since 1938, there have come to our attention a number of children whose condition differs so markedly and uniquely from anything reported so far, that each case metrics—and, I hope, will eventually receive—a detailed consideration of its fascinating peculiarities.

Kanner, L. Autistic Disturbances of Affective Contact. Nervous Child, (2) 217-250, 1943

www.drcoplan.com

Kanner, 1938 → 1943

"Between the ages of 5 and 6 years, they gradually abandon echolalia and learn spontaneously to use personal pronouns.

"Language becomes more communicative, at first in the sense of a question-and-answer exercise, and then in the sense of greater spontaneity of sentence formation....

Kanner, L. Autistic Disturbances of Affective Contact. Nervous Child, (2) 217-250, 1943

www.drcoplan.com

Kanner, $1938 \rightarrow 1943$

"Food is accepted without difficulty.
Noises and motions are tolerated more
than previously. The panic tantrums
subside. The repetitiousness assumes the
form of obsessive preoccupations...

Kanner, L. Autistic Disturbances of Affective Contact, Nervous Child. (2) 217-250, 1943

www.drcoplan.com

Kanner, 1938 → 1943

"Reading skill is acquired quickly, but the children read monotonously, and a story or a moving picture is experienced in unrelated portions rather than in its coherent totality...*

* "Central coherence"

Kanner L. Autistic Disturbances of Affective Contact. Nervous Child. (2) 217-250. 19.

www.drcoplan.com

Kanner, 1938 → 1943

"Between the ages of 6 and 8, the children begin to play in a group, still never <u>with</u> the other members of the group, but at least on the periphery <u>alongside</u> the group.

Kanner, L. Autistic Disturbances of Affective Contact. Nervous Child, (2) 217-250, 1943

www.drcoplan.com

Kanner, 1938 → 1943

"People are included in the child's world to the extent to which they satisfy his needs...

Kanner, L. Autistic Disturbances of Affective Contact. Nervous Child, (2) 217-250, 1943

www.drcoplan.com

Kanner, 1938 → 1943

All of this makes the family feel that, in spite of recognized 'difference' from other children, there is progress and improvement.

Leo Kanner, 1943


Kanner, L. Autistic Disturbances of Affective Contact. Nervous Child, (2) 217-250, 1943

www.drcoplan.com

Over time, the ice melts



www.drcoplan.com



Outline


- Definition of Quackery
- The Natural History of ASD
- Debunking the autism epidemic
- A brief history of Quackery
- The Placebo Effect
- Let the buyer beware

DEFINITIONS

- Incidence:
 - Rate of occurrence of new cases per unit time:
 - # of new cases of flu / 1000 persons / week
 - Epidemic = ♠ Incidence
- Incidence of ASD =
 - -# of new cases / 1000 children / year =
 - # of newborns / 1000 / year with ASD +
 - # of cases of autistic regression / 1000 / year
 - The incidence of ASD is unknown

DEFINITIONS

- Prevalence:
 - % of population affected at a moment in time:
 - Prevalence of left-handedness = 10%
 - "Explosion" ~ Used loosely for ♠ Prevalence
- Prevalence of children with a Dx of ASD:
 - 1950's: 2-4/10,000
 - 2010: ~100/1,000 (i.e., about 1%)
- But
 - We are not sure whether actual prevalence has changed
 - Incidence cannot be determined from prevalence



Scientific Illiteracy


"Worldwide Pandemic of Autism"


http://www.americanchronide.com/articles/view/125995


New Research Hope for US Autism Families - 1 in 100 US Kids
Affected
Clifford G. Miller


Clifford G. Miller October 28, 2009

Little notice was taken in 2006 when Dr Francis S. Collins MD PhD's unequivocal evidence to the US House of Representatives should have resolved a controversy raging for two decades over the causes of the worldwide pandemic of autism in children. (FALSE)











Known causes of ♠ prevalence of children with a Dx of ASD

(without invoking an increase in incidence)

- > Broadening diagnostic criteria
- Broadening Federal service & reporting requirements
- · Diagnostic substitution
- · Broadening ascertainment methods

DSM Criteria		
1980: DSM III Infantile Autism Autism, Residual State	6 mandatory, severe, criteria, including: •Pervasive lack of responsiveness to other people •Gross deficits in language developmt •Bizarre responses to the environment	
1987: DSM-III-R «"Infantile autism" replaced by "Autistic Disorder" «Autism-Residual State" replaced by PDD-NOS	PDD-NOS includes children who never met full criteria for Autism (as well as children who once met full criteria but improved over time).	
1994: DSM-IV • Asperger's Disorder	Menu for Dx: 6 of 16 milder criteria, incl: *Lack of spontaneous seeking to share achievements with others *Difficulty sustaining a conversation *Lack of varied social imitative play	





Known causes of ♠ prevalence of children with a Dx of ASD

- Broadening diagnostic criteria
- ➤ Broadening Federal service & reporting requirements
- **➢ Diagnostic substitution**
- Broadening ascertainment methods

Year	Event	Comment
1975	Congress enacts Public Law 94-142: Education for All Handicapped Children (EAHC)	First Federal law requiring the States to provide free and appropriate public education (FAPE) to "all children >5 yrs old, regardless of disability"

"Handicapping Conditions" (PL 94-142; 1975)

- Mentally Retarded
- Learning Disabled
- Speech impaired
- · Hearing / Vision Impaired
- · Seriously emotionally disturbed
- Orthopedically impaired
- Multi-handicapped
- · Other health impaired


Where is autism?

	Changes in F	ederal Law - 2
Year	Event	Comment
1986	PL 99-457: Early Intervention Amendments to PL 94- 142	•Extends FAPE to children age 3-5, mandated to take effect by 1991 (Section 619, Part B) •Creates Early Intervention for children 0-3 (Section 619, Part H).
	Where is	s autism?

Changes in Federal Law - 3		
Year	Event	Comment
1990	Congress Amends PL 94-142 again (PL101- 476)	•Renamed Individuals with Disabilities Education Act (IDEA) •Includes Autism & Traumatic Brain Injury (TBI) as "eligible disabilities" under the scope of the law

Prior to 1990, according to Federal
regulations, Autism did not exist.

Year	Event	Comment
1991	US Department of Education, Office of Special Education Programs (OSEP) requires reporting of autism by the States, starting in 1992.	Coincides with implementation of Part B (3 to 5 yr olds) & Part H (birth to 3) of PL 99-457




Known causes of ♠ prevalence of children with a Dx of ASD


- Expanding diagnostic criteria
- Federal service & reporting requirements
- Diagnostic substitution
- >Changes in ascertainment methods

Ascertainment Methods for ASD

- Old: Count already-identified cases
 - School data
 - Medical clinics
- New: Search for unrecognized cases
 - Siblings of probands*
 - Population Screening
 - Children
 - Adults

Proband = the 1st member of a family to be diagnosed; the "index case"






CDC Prevalence Estimates for ASD, 2008

- Autism and Developmental Disabilities Monitoring Network (ADDM)
 - 14 Sites (Universities, State Depts of health; not demographically representative of the US as a whole)
- Data sources:
 - Healthcare organizations (general & specialty)
 - Schools (some sites)
- N = 337,093 children, age 8
- 3,820 met surveillance case criteria for ASD
 - 79% had a pre-existing Dx of ASD in their records
 - 21% had no ASD Dx in their records


Prevalence of Autism Spectrum Disorders — Autism and Developmental Disabilities Monitoring Network, March 30, 2012 / 61(SS03);1-19


mwrhtml/ss6103a1.htm?s cid=ss6103a1 v



CDC Prevalence Estimates for ASD, 2008 Prevalence (cases per 1000 children), and Prevalence Ratios Hispanic 12 0 10 2 4.0 - 25.91.4 – 20.0

TABLE 2. (Continued) Estimated prevalence of autism spectrum disorders (ASDs) per 1,000 children aged 8 years, by sex and race/ethnicity — Autism and Developmental Disabilities Monitoring Network, 14 sites, United States, 2008. MMWR 3/30/2012 http://www.cdc.aco/immer/immissf03bat htm?. cdcss0103at w





Page 8 www.drcoplan.com

CDC Data


- · Internal variability
 - Overall prevalence
 - Ethnic ratios
 - IQ distribution (proportion with IQ > 70)
- 21% of CDC "cases" had no mention of ASD in their records. What does this mean?
- Need for random sampling with testing, rather than relying on secondary source information


The spatial structure of autism in California, 1993–2001

Health & Place

Volume 16, Issue 3, May 2010, Pages 539-546 Soumya Mazumdar, Marissa King, Ka-Yuet Liu, Noam Zerubavel and Peter Bearman

Institute for Social and Economic Research and Policy Columbia University, New York, NY, USA





Socioeconomic Inequality in the Prevalence of Autism Spectrum Disorder: Evidence from a U.S. Cross-Sectional Study

Durkin MS, Maenner MJ, Meaney FJ, et al. 2010 PLoS ONE 5(7): e11551.

Prevalence increased with increasing SES* in a dose-response manner, with prevalence ratios relative to medium SES of 0.70 for low SES, and of 1.25 for high SES, (P<0.001).

*SES: Socioeconomic status (income, education)

Population Screening: Where have all the adults gone?

"Since 1% of adults don't have ASD, doesn't that prove we're in an epidemic?"

Ascertainment of adults with ASD

- There is no agency tracking developmental data on adults
 - Census Bureau?
 - Social Security?
 - Selective Service?
 - IRS?

Interactive Autism Network On-Line Survey

THE MISSING MIDDLE

As we have examined our data, and spoken with adults with ASD and their families, we have begun to suspect that there is one large group currently missing from participation in the IAN Research project: adults who are not under guardianship but who nevertheless need assistance...in between the very high functioning independent adults, many with Asperger's...and individuals under guardianship.


These individuals are legal adults, who must decide whether to consent to participate in research for themselves.. If a person with ASD who is not under guardianship says "I don't


"Missing" adults: The NHS Survey NHS Report from the Adult Psychiatric Morbidity Survey 2007

NHS Survey 2007

- National, random sample of survey of adults living independently in the community
 - Excludes persons in institutional settings
 - Group Homes, Hospitals, Mental Health Facilities, Residential Centers, Prisons, etc.
 - Therefore, under-counts adults with disability

http://www.ic.nhs.uk/pubs/asdpsychiatricmorbidity07





Population screening suggests that the prevalence of ASD among today's senior citizens is identical to the prevalence among today's children.

If true:
Not only is there no epidemic –
There has not even been an "explosion"




Outline

- Definition of Quackery
- The Natural History of ASD
- Debunking the autism epidemic
- A brief history of Quackery
- The Placebo Effect
- Let the buyer beware

Promotional Techniques

- · Create a demand
- **≻Deliver the pitch**
- · Close the sale



Quack Therapies: The Pitch

- > Simple yet mysterious
- · All-powerful, yet safe
- Able to cure multiple conditions
- Supported by Testimonials
- Thrive as the underdog: persecuted by, or challenger to, standard medical practice

Simple yet Mysterious


Over and over again, throughout the history of patent medicines, promoters have pierced through the darkness yet enshrouding illness and come up with the perfect remedy. They have done so, often, by conceiving a completely new theory of disease, a monistic theory with a one-shot therapy, and the panacea is the medicine advertised.


The Toadstool Millionaires: A Social History of Patent Medicines in America before Federal Regulation

James Harvey Young, PhD


Simple, yet Mysterious


- The "Back to Nature" approach
 - Herbal & biological concoctions / "All Natural"
 - The restorative power of mother nature
- The "High Tech" approach
 - Scientific-sounding jargon / "Gee whiz"
 - Methods shadowed legitimate science
 - Magnetism: 1850s-70s
 - Electricity 1880s-1900
 - Radioactivity 1900-30
 - Radio waves 1930-50
 - Biochemistry
 - Stem cells







































Quack Therapies: The Pitch

- · Simple yet mysterious
- > All-powerful, yet safe
- · Able to cure multiple conditions
- Supported by Testimonials
- Thrive as the underdog: persecuted by, or challenger to, standard medical practice

Dr. Scott's Electric Flesh Brush ~ 1880 - 1910

• DIRECTIONS: The brush may be used daily. It always does good; cannot harm.





Quack Therapies: The Pitch

- · Simple yet mysterious
- · All-powerful, yet safe
- > Able to cure multiple conditions
- Supported by Testimonials
- Thrive as the underdog: persecuted by, or challenger to, standard medical practice


Target Conditions

- Severe, Chronic & Untreatable
 - TB ("The Captain of Death")
 - Cancer
 - Heart Disease

OR


- Strong Psychological Component
 - Depression
 - Pain
 - Impotence






Quack Therapies: The Pitch

- · Simple yet mysterious
- All-powerful, yet safe
- · Able to cure multiple conditions
- > Supported by Testimonials
- Thrive as the underdog: persecuted by, or challenger to, standard medical practice





Testimonials

 While many of the printed testimonials are genuine enough, they represent not the average evidence, but the most glowing opinions which the nostrum vender can obtain.

The Great American Fraud; Samuel H. Adams, Colliers, 1905

Testimonials

 The ignorant drug-taker, returning to health from some disease which he has overcome by the natural resistant powers of his body, dips his pen in gratitude and writes his testimonial. The man who dies in spite of the patent medicine - or perhaps because of it - doesn't bear witness to what it did for him. We see recorded only the favorable results: the unfavorable lie silent.

The Great American Fraud; Samuel H. Adams, Colliers, 1905

Testimonials & Placebo Effect

"They see my advertising. They read the testimonials. They are convinced. They have faith.....and so they get well."

There it is in a nutshell; the faith cure...The faith inspired by the advertisement ... does the work - or seems to do it. If the public drugger can convince his patron that she is well, she *is* well - for his purposes.

The Great American Fraud; Samuel H. Adams, Colliers, 1905

Quack Therapies: The Pitch

- · Simple yet mysterious
- · All-powerful, yet safe
- · Able to cure multiple conditions
- · Supported by Testimonials
- Thrive as the underdog: persecuted by, or challenger to, standard medical practice

Patent Medicine as the Underdog

 "It is pardonable in you to want to know these formulas, for they are good. But you must not ask us to reveal these valuable secrets, to do what you would not do yourselves."

W.A. Talbot, owner of Piso's Consumption Cure, and president of the Proprietary Medicine Association, speaking out against the AMA's support of pure food and drug legislation, 1905

The Great American Fraud; Samuel H. Adams, Colliers, 1905

Complementary and Alternative Medicine in ASD

"déjà vu all over again"

CAM for ASD


- > Highly promoted
- Simple, yet mysterious
- · Powerful, yet safe
- Treats multiple causes of ASD
- Supported almost entirely by testimonials
- The underdog oppressed by conventional medicine


CAM for ASD

- · Highly promoted
- >Simple, yet mysterious
- · Powerful, yet safe
- Treats multiple causes of ASD
- Supported almost entirely by testimonials
- The underdog oppressed by conventional medicine

Simple yet mysterious

- Back to Nature
 - Dietary supplementation / restriction
 - Megavitamins / Other supplements
 - Gluten Free / Casein Free diet
 - Chiropractic
 - Homeopathy
 - Antifungal therapy
 - Refusal of immunizations
- High Tech
 - Therapeutic listening
 - Secretin
 - Chelation
 - Hyperbaric Oxygen





CAM for ASD

- · Highly promoted
- Simple, yet mysterious
- ➤ Powerful, yet safe
- Treats multiple causes of ASD
- Supported almost entirely by testimonials
- The underdog oppressed by conventional medicine

Powerful yet safe?


- Deaths from mineral imbalance
- · Deaths from chelation
- Brain Damage
 - Chelation
 - Hyperoxia
 - ?Omega-3 Fatty Acids

Fatal hypermagnesemia in a child treated with megavitamin / megamineral therapy

PEDIATRICS*

OFFICIAL JOURNAL OF THE AMERICAN ACADEMY OF PEDIATRICS

Pediatrics 2000;105:18DOI: 10.1542/peds.105.2.e18





Chelation

Succimer Chelation Improves Learning, Attention, and Arousal Regulation in Lead-Exposed Rats but Produces Lasting Cognitive Impairment in the Absence of Lead Exposure

Diane E. Stangle, ¹ Donald R. Smith,² Stephane A. Beaudin,² Myla S. Strawderman,³ David A. Levitsky, ^{1,3} and Barbara J. Strupp^{1,3}

¹Department of Psychology, Cornell University, Ithaca, New York, USA; ²Department of Environmental Toxicology, University of California, Santa Cruz, California, USA; ³Division of Nutritional Sciences, Cornell University, Ithaca, New York, USA





Omega-3 Fatty Acids

Chronic omega-3 supplementation in seizureprone versus seizure-resistant rat strains: a cautionary tale Gilby K, Jans J, & McIntyre D. Neuroscience v163, #3, 20 October 2009, p 750-758

Subjects:


- "Fast" rats
 - Rapid induction of seizures via electrical stimulation to the brain ("kindling")
 - Behaviors reminiscent of ADHD (hyperactivity) / ASD (repetitive grooming) / poor learning ability
- "Slow" Controls (~ "normal subjects")

Omega-3 Fatty Acids

Chronic omega-3 supplementation in seizureprone versus seizure-resistant rat strains: a cautionary tale Gilby K, Jans J, & McIntyre D. Neuroscience v163, #3, 20 October 2009, p 750-758

Omega-3 supplementation:


- Fast rats
 - Impulsivity
 - · No reduction in risk of seizures
- Normal controls
 - risk of seizures





Omega-3 Fatty Acids

"Individual responses to omega-3 supplementation...were highly specific to the animals' genetic background. Consequently, caution is encouraged when treatment strategies are considered for the broad spectrum of disorders linked to EFA deficiencies.....omega-3 supplementation on its own is not the silver bullet."

Gilby, Jans , & McIntyre 2009








Memory loss following Hyperoxia in rats

- Maze-learning task before & after exposure to hyperoxia
- Maze-learning was impaired after oxidative stress
- None of the rats recovered their learning ability

Fukui, K., et al. Impairment of learning and memory in rats caused by oxidative stress and aging, and changes in antioxidative defense systems Ann N Y Acad Sci, 2001, v 928, 168-175



Hyperoxia ⇒ Brain Cell Death

- Hyperoxia causes inducible nitric oxide synthase-mediated cellular damage to the immature rat brain. Pediatric Research 2003
- Oxygen causes cell death in the developing brain. Neurobiological Disorders, 2004.
- Hyperoxic exposure leads to nitrative stress and ensuing microvascular degeneration and diminished brain mass and function in the immature subject. Stroke, 2006
- Estradiol attenuates hyperoxia-induced cell death in the developing white matter. Annals of Neurology, 2007
- Hyperoxia causes maturation-dependent cell death in the developing white matter. Journal of Neuroscience 2008










CAM for ASD

- · Highly promoted
- Simple, yet mysterious
- · Powerful, yet safe (claimed)
- ➤ Treats multiple causes of ASD
- · Supported almost entirely by testimonials
- The underdog oppressed by conventional medicine



HBOT

- "Autism is now understood as a multi-functional disorder that may, among other things, involve:
- •Heavy metal damage to brain cells
- Autoimmune damage to the brain cells
- •Intestinal inflammation
- Persistent yeast, viral and bacterial infections
- •Cellular energy processing dysfunction (Kreb Cycle dysfunction) All these processes can be helped by increasing oxygen flow to the tissues and cells in the brain as well as in the guts. This is where the Hyperbaric Oxygen Chamber comes in..."

http://www.the-autism-clinic.com/hyperbaric-oxygen-chamber.html

CAM for ASD

- · Highly promoted
- Simple, yet mysterious
- · Powerful, yet safe (claimed)
- Treats multiple causes of ASD
- > Supported almost entirely by testimonials
- The underdog oppressed by conventional medicine

Testmonials Clay For Autism. Com None None to Order Us bit agended City Support Plas Test You Child Special Supplements Adds ACc of Autism Autism Symptoms Augregar's Syndrame Autism Symptoms Autism Symptoms Clay Bath Clay Bath Safe Chelation Therapy for Autistic Children Gets Impressive Results! http://www.clayforautism.com/autism.html?s=ggm/5



"My son Jakob, started to talk after only ONE of your clay baths. We could not believe how much these baths changed our lives. Meryl D. (Florida)



My son use to only grunt and yell and scream in communication... After a few months of your baths he started talking... He is set to start kindergarten next year and his preschool teachers say he is going to be just fine. I want to thank you for being there when we needed you. I tell all my friends about you."Jodie M. (Nevada, MO)



After TWO baths of LL's Magnetic Clay, my daughter started talking. .. Thank you so much for giving me my daughter back!" Lisa N. (Sacramento, CA)

http://www.clayforautism.com/autism.html?s=gaw5

Show me the evidence

- Chance observations are not evidence
 Secretin
- Coincidence is not evidence
 Umbrellas do not cause rain
- Testimonials are not evidence
 The plural of "anecdote" is not "data"
- Even sworn testimony is not evidence, in the scientific sense

Show me the evidence

- Evidence = Observations or measurements that have been gathered by standardized, repeatable methods, to determine the validity of a hypothesis
 - Animal models
 - Case-control studies
 - Randomized controlled trials


Randomized Controlled Trials (RCTs)

- What do controlled trials control?
 - Improvement due to the natural history of the disorder, irrespective of treatment
 - Subject selection bias
 - Expectation effects (placebo, nocebo)



Subject selection bias

- Experimental Group & Control subjects must be similar on all relevant variables
 - Age
 - Gender
 - Socioeconomic Status
 - Other (IQ, general health status)
 - Willingness to be randomized




Outline

- Definition of Quackery
- The Natural History of ASD
- Debunking the autism epidemic
- A brief history of Quackery
- The Placebo Effect
- Let the buyer beware

Expectation Bias - 1

 We see what we expect to see



Expectation Bias – 1 (We see what we expect to see)

- Placebo effect: Perceived improvement in the absence of active treatment
 - Reported improvement on dummy pills
- Nocebo effect: Perceived deterioration in the absence of active treatment
 - Reported "side effects" on dummy pills

Expectation Bias – 2 (If you wish it hard enough, it is no dream)



Expectation Bias - 2

(If you wish it hard enough, it is no dream)

- Pygmalion Effect
 - aka Rosenthal Effect; Teacher Expectation effect
- Randomly selected students were labeled "exceptionally bright"
- "Bright" students' scores rose on objective measures, compared to controls
- Moral: If you believe in a therapy strongly enough, your belief alone is enough to create objective change



Pygmalion and Galatea by Jean-Leon Gerome (1824-1904)

Expectation Bias - 3

To minimize expectation bias:

- · Random assignment to treatment group
- Blinding to group assignment
 - Of the subject (or parents)
 - Of the experimenter
 - Of the person who assesses outcome
- "Sham Treatment" (placebo arm)
 - Sham therapy resembling actual therapy
 - · "Sugar pills"
 - Even sham surgical procedures!

Double-Blind, placebo controlled RCTs:

Chelation: NoneGluten: NoneYeast: None

• Megavitamins / Minerals: None

Omega-3 Fatty Acids

Omega-3 fatty acids supplementation in children with autism: a double-blind randomized, placebo-controlled pilot study. Amminger, G.P., et al., Biol Psychiatry, 2007. 61(4): p. 551-3

- 6 wk double-blind RCT
- N = 13 (5 17 yrs); ASD + severe behavior d/o
- 1.5 g/d omega-3 fatty acids supplementation
- · Aberrant Behavior Checklist (ABC) at 6 weeks
- . Omega-3 FA grp: ♦hyperactivity & stereotypy

Therapeutic listening

- Bettison
 - Treatment group improved
 - Sham-treatment control group improved by exactly the same amount
- 3 other controlled studies: No consistent benefit, and in one case, treatment group did less well than controls

Randomized Controlled Trials

- HBOT
 - Rossignol 2009
 - Poor methodology
 - Inconsistent findings (benefits seen in 5 of 29 behavioral measures (inconsistent results: improvement on eye contact on one measure, but not social awareness or social interaction on another)
 - CARD 2009: No effects seen with HBOT

CAM for ASD

- Highly promoted
- Simple, yet mysterious
- Powerful, yet safe (claimed)
- Treats multiple causes of ASD
- Supported almost entirely by testimonials
- > The underdog oppressed by conventional medicine

The Underdog

_____M.D., has been accused by the New York State Board for the Office of Professional Medical Conduct...of "gross negligence and incompetence." And what are Dr. ____'s sins? She keeps people out of hospitals and uses injections of vitamins and chelation therapy.....

Dr. _____ is not the only fine physician under attack in the U.S. There exists a campaign to deny Americans access to complementary and alternative medicine....

Politics of Medicine: Another Attack on Alternative Medicine http://reformed-theology.org/html/issue11/politics of medicine.htm

Exposed: Wikipedia Holds Bias against Natural Health

10/5/2010 - Wikipedia entries for alternative and natural medicine consistently have severe censorship, misinformation, and vandalism. Since Wikipedia is an extremely popular reference site on the internet with over 16 million articles this bias towards conventional medicine negatively affects the accessibility of accurate natural health information....

 $\underline{http://www.naturalnews.com/alternative_medicine.html}$



Outline

- Definition of Quackery
- The Natural History of ASD
- Debunking the autism epidemic
- A brief history of Quackery
- The Placebo Effect
- Let the buyer beware

Stay Calm

- Beware of allegations of cause or claims of cure that rest on the premise of an autism "epidemic"
 - No one knows the incidence of ASD
 - The prevalence of diagnosed cases in children has risen, but even that may be attributable to changing diagnostic criteria and methods
 - NHS study suggests that the true prevalence of ASD has not changed in 50 years

Recognize the Pitch

- Simple, yet mysterious
- · Powerful, yet perfectly safe
- Treats multiple causes of ASD
- Supported almost entirely by testimonials
- The underdog oppressed by conventional medicine

Show me the data

- Epidemiologic evidence & animal models to confirm causation
- Randomized Controlled Trials to demonstrate safety & efficacy
 - Parents need to demand, and then be willing to enroll their children, in RCTs

Follow the money

- Who else is advocating a particular therapy, other than
 - parents who have already spent money it, and
 - vendors who make their livelihood providing it?



Thank you!